

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

ProQuest Searches:

(trial or demonstration or sample) w/3 (software or version) and download?

	L #	Hits	Search Text	DBs
1	L1	2	billing with authentication with content with server with (single or one or same\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	46	(billing or bill or pay or payment or paying) with (authentication or authorization) with (content or provider or information or provide) with server with (single or one or same\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	52	(billing or bill or pay or payment or paying) with (authentica\$3 or authoriz\$3) with (content or provider or information or provide) with server with (single or one or same\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	21	(billing or bill or pay or payment or paying) with (authentica\$3 or authoriz\$3) with (content or provider or information or provide) with server near3 (single or one or same\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	5	4 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	33	705/\$.ccls. and 717/171-173,176-178.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	29	6 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	235	(customiz\$5 near4 (software or program or application)) with download\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
9	L9	179	8 and (user or client) near5 (select\$3 or choos\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	23	8 same (user or client) near5 (select\$3 or choos\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	7	10 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	120	customize and sales adj2 database and download	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	98	705/54.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	72	13 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	13	12 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	214	(717/176-178.ccls.) and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	35	1 and (customiz\$5 near5 (software or program or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	9	1 and (customiz\$5 near5 (software or program or object)) same (download\$4 or transmit\$4 or send\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	301	click\$4 near4 banner near2 advertisement	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	15	4 same (register or registration)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	131	4 and (banner or ad or advertisement) same (order\$3 or register\$3 or cgi)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	46	6 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	2469	(ad or advertisement) with (profile or custom or customiz\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	1374	banner near2 (advertisement or ad) and (webpage or web adj page or home adj page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	1365	click\$4 near6 (ad or advertisement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	171	8 and 9 and 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	41	11 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L13	702	banner adj (advertisement or ad) same (web adj page or home adj page or webpage or homepage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	340	13 and purchase	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	2	14 and @pd<19990629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L16	1246	banner adj (advertisement or ad) and (web adj page or home adj page or webpage or homepage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L17	5	16 and @pd<19990629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L18	7	14 and @pd<20000629	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L19	4050	(ad or advertisement or advertising) near3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L20	2318	banner near2 (advertisement or ad)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L21	495	customiz\$5 near5 (ad or advertisement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L22	54	19 and 20 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L23	4304	(banner or page or webpage) near2 (advertisement or ad)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L24	89	19 and 23 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L25	32	24 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	L26	20	19 with 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	L27	6	26 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
28	L28	92	customiz\$5 near5 (ad or advertisement or advertising) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L29	32	28 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L30	0	(transmit\$4 or distribut\$4 or send\$4) near4 (music or file or software) near4 from near4 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	L31	0	(transmit\$4 or distribut\$4 or send\$4) near4 (music or file or software) near4 from near4 user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	L32	10311	(transmit\$4 or distribut\$4 or send\$4) near4 (music or file or software) near6 (user or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	L33	7886	(transmit\$4 or distribut\$4 or send\$4) near4 (music or file or software) near6 (user or client) near6 (user or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	L34	0	(transmit\$4 or distribut\$4 or send\$4) near4 (music or file or software) near6 (user or client) near6 (user or client) with from\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	L35	17946	(log or logging or record\$3 or store or stored or storing) near4 (user or id or identification or client) near4 (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	L36	164	35 with sales	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	L37	9	33 and 36	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
38	L38	4	37 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	L39	23	download\$3 near3 (freeware or shareware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	L40	1	39 and upgrade	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	L41	98	463/42.ccls. and @pd>20030901	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	L42	17	41 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	929	(full or fully) near3 (function or functional or functioning) near5 (object or component or character or avatar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	340	(full or fully) near2 (function or functional or functioning) near2 (object or component or character or avatar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	444	(full or fully) near2 (function or functional or functioning or capability) near2 (object or component or character or avatar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	51	3 and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	32	4 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	84	(includ\$3 or send\$4 or contain\$3) with (link) with (attach\$4) with (message or mail or email or e-mail) and (email or e-mail or electronic adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	23	6 and @ad<20001231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	96	(includ\$3 or send\$4 or contain\$3) with (link or hyperlink) with (attach\$4) with (message or mail or email or e-mail) and (email or e-mail or electronic adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	27	8 and @ad<20001231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
10	L10	5	(add or added or adding or integrate or integrating or integration or integrated) near3 (component or module or object) near4 (application or software or program) with (while or without) near3 (exit or exiting or restart or restarting or relaunch or relaunching or running or using or being adj used)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	5936	(add or added or adding or integrate or integrating or integration or integrated) near3 (component or module or object) near4 (application or software or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	666	11 with (client or server or network or internet or download or downloading or downloaded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	164	11 with (run or running or restart or restarting or launch or launching or reload or reloading)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	51	12 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L16	29	14 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L17	551	(customize or customizing or customized or customization) near3 (component or module or object) near4 (application or software or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
17	L18	171	17 with (user or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L19	37	17 with (internet or network or download\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L20	17	18 and 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L21	7	20 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L22	6	17 with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L23	22	"5754858" and (internet or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L24	13	23 and customize	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L25	69	(customized or customize or customizing or customization) near3 (software or application or version) near3 (upgrad\$3 or updat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L26	53	25 and (internet or client or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	L27	37	25 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	L28	4	27 and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	L29	117	(customized or customize or customizing or customization) near3 (software or application or version) with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L30	89	29 and (upgrad\$4 or updat\$3 or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L31	77	30 and (network or internet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	L32	23	29 same (upgrad\$4 or updat\$3 or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
32	L33	17	31 and 32	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	L34	89	customiz\$5 near4 (application or software or program) near3 rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	L35	16	34 same (internet or server or network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	L37	11	software near upgrad\$3 with (customiz\$3 or tailor\$3 or personaliz\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	L36	10	software near upgrad\$3 with (fee or billing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	L38	39	download\$4 near3 customized near3 (software or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	L39	26	38 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	L40	105	(customized or customize or customizing or customization) near3 (software or application or version) same template same (user or download\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	L41	49	40 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	L42	60	download\$4 near3 (trial or demo or demonstration or sample) near3 (software or application or game or music)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	L43	20	42 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	L44	2	"6496979"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
44	L45	30	(template or framework) same (full or fully or basic or limited) near2 (function or functionality or functional or functioning) same (customiz\$5 or custom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	L46	13	45 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	L47	603	(template or framework) and (full or fully or basic or limited) near2 (function or functionality or functional or functioning) with (software or program or application or game or music) and (customiz\$5 or custom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	L48	84	47 and 717/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	L49	55	48 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	703	463/42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	22	1 and 705/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	29	1 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	50	2 or 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	34	4 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L10	2549	705/26.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L11	618	10 and (sample or preview)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L12	34	10 and (sample or preview) with download\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L13	15	12 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L14	1	download\$4 near3 (sample or preview) same (send\$3 or transmit\$4) near4 (remainder or entire or whole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	1247	(customiz\$6 or tailor\$3 or personaliz\$4) same (request\$3 with (user or client)) same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	58	((customiz\$6 or tailor\$3 or personaliz\$4) with object) same (request\$3 with (user or client)) same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	38	2 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	23	((customiz\$6 or tailor\$3 or personaliz\$4) with (game or audio or music)) same (request\$3 with (user or client)) same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	4	4 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	705	(client or user) near6 request\$3 near3 (program or application or software) near3 (object or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	248	(client or user) near6 request\$3 near3 (program or application or software) near3 (object or component) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	30	6 same (customiz\$6 or tailor\$3 or personaliz\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	12	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	6	9 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	363	463/43.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L12	184	11 and (network or download or internet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	137	12 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	17934	(trial or sample or test) adj3 (version or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	334	14 same download\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L16	39	15 and full\$2 near3 (program or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L17	33	16 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L18	14997	(trial or sample or test or demonstration) adj2 (version or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L19	313	18 same download\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L20	45	19 and full\$2 near3 (program or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L21	36	20 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L29	15081	(trial or sample or test or demonstration or demo) adj2 (version or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L30	66	29 with (customiz\$5 or personaliz\$5 or tailor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L32	6	31 and (download\$4 or (try near6 buy) or (full\$2 near (function\$3 or version or software)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L31	49	30 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	L33	1024	29 and (full\$2 near3 (program or version or function or functional or functionality) or (try near5 buy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
27	L34	339	33 and (download or downloading)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	L35	35	29 and download\$3 same (full\$2 near3 (program or version or function or functional or functionality) or (try near5 buy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L36	20	35 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L37	0	20010000709.URPN.	USPAT
31	L38	7	5907617.URPN.	USPAT
32	L39	54	5708709.URPN.	USPAT
33	L40	62	(trial or sample or test or demonstration) adj2 (version or program) with game	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	L41	2	try near3 buy with (game or gaming or gamer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	L42	46	40 and (@ad<20000629 or @prad<20000629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB